

CERTIFICATE OF ANALYSIS

PRODUCT CM0579B
PSEUDOMONAS CETRIMIDE AGAR (USP-EP) 500g

LOT NUMBER 6255329

EXPIRY DATE 2028.04.30

DATE OF MANUFACTURE 2025.03.29

Delivery/Customer information

Date Printed

2025.04.23

Delivery No.

Customer

Customer Order Number

Physical Characteristics

Results

Specification

Appearance

Straw powder

Straw powder

Colour on reconstitution

Straw 1-2

Straw 1-2

pH (25°C)

7.2

7.0 - 7.4

Clarity

Clear

Clear

Microbiological Performance

Control
cfuTest
cfuRecovery Test
% Description

Tested in accordance with current USP/EP

Aerobic incubation at 32.5°C for 18 hours

Pseudomonas aeruginosa ATCC®9027

90

68

76

Aerobic incubation at 32.5°C for 48 hours

Pseudomonas aeruginosa ATCC®9027

>1E+04

0

-

Fluorescent, green cols

Aerobic incubation at 32.5°C for 72 hours

Proteus mirabilis ATCC®12453

>1E+04

0

-

No growth

Staphylococcus aureus ATCC®6538

>1E+04

0

-

No growth

Control
cfuTest
cfu

Log(10) Reduction

Salmonella typhimurium ATCC®14028

590

1

3

White cols

Escherichia coli ATCC®8739

4.6E+04

1.3E+01

3

Straw cols

Control Medium: Tryptone Soya Agar

A satisfactory result is represented by recovery of positive strains equal to or greater than 60% of the control medium from an inoculum of 50-100 colony-forming units (cfu). Negative strains are inhibited or shall produce at least a 1 log (10) reduction when compared to the control medium.

Refer to product specification for full details.

OXOID LIMITED

Wade Road, Basingstoke, Hampshire RG24 8PW. England

www.ThermoFisher.com

CERTIFICATE OF ANALYSIS

PRODUCT	CM0579B
LOT NUMBER	PSEUDOMONAS CETRIMIDE AGAR (USP-EP) 500g
	6255329

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2025.04.11

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.