



CERTIFICATE OF ANALYSIS

PRODUCT CM0989B

MODIFIED TRYPTONE SOYA BROTH 500g

LOT NUMBER 6263384

EXPIRY DATE 2030.05.31

DATE OF

MANUFACTURE 2025.04.29

Delivery/Customer information

Date Printed 2025.05.09

Delivery No.

Customer

Customer Order Number

Physical Characteristics	Results	Specification	
Appearance	Straw powder	Straw powder	
Colour on reconstitution	Straw 3	Straw 3	
pH (25°C)	7.3	7.2 - 7.6	
Clarity	Clear	Clear	
Microbiological Performance	Initial Inoculum	Test Result	
Tested with the addition of Novobiocin Supplemental	ent SR0181		
Aerobic incubation at 41.5°C for 18-24 hours			
Escherichia coli NCTC12900	53	Turbid growth	
Escherichia coli O157 NCTC12079	16	Turbid growth	
Escherichia coli ATCC®25922	66	Turbid growth	
Escherichia coli ATCC®8739	53	Turbid growth	
Klebsiella pneumoniae ATCC®29665	71	Turbid growth	
Bacillus subtilis ATCC®6633	1E+04-1E+06	No growth	
Staphylococcus aureus ATCC®25923	1E+04-1E+06	No growth	

Control Medium: Tryptone Soya Agar

A satisfactory result is represented by visible growth from an inoculum of 10-100 colony-forming units (cfu).

Negative strains are inhibited from an inoculum of 1E+04 to 1E+06 cfu.

Refer to product specification for full details.

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2025.05.09

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.