

CERTIFICATE OF ANALYSIS

PRODUCT CM1091B
ONE BROTH-SALMONELLA 500g

LOT NUMBER 6288938

EXPIRY DATE 2030.07.31

DATE OF MANUFACTURE 2025.07.10

Delivery/Customer information

Date Printed
2025.07.29

Delivery No.

Customer
Customer Order Number

Physical Characteristics	Results	Specification
Appearance	Straw powder	Straw powder
Colour on reconstitution	Straw 2	Straw 1-2
pH (25°C)	7.1	6.8 - 7.2
Clarity	Clear	Clear
Microbiological Performance	Initial Inoculum	Test Result
Tested with the addition of One Broth Salmonella Selective Supplement SR0242 Aerobic incubation at 42°C for 18 ± 2 hours		
<i>Salmonella typhimurium</i> ATCC®14028	50	Turbid growth
<i>Salmonella enteritidis</i> ATCC®13076	52	Turbid growth
<i>Salmonella arizona</i> ATCC®13314	66	Turbid growth
<i>Staphylococcus aureus</i> ATCC®25923	1E+04-1E+06	No growth
<i>Proteus mirabilis</i> ATCC®29906	1E+04-1E+06	No growth

Control Medium: Tryptone Soya Agar

A satisfactory result is represented by visible growth from an inoculum of 10-100 colony-forming units (cfu). Negative strains shall be inhibited or produce minimal growth from an inoculum of 1E+04 to 1E+06 cfu.

Refer to product specification for full details.

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2025.07.29

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.