

Certificate of Analysis

Description: DPBS, 1X
(Dulbecco's Phosphate Buffered
Saline) with calcium & magnesium

Catalog #: 21-030-CV

Lot #: 05025006

Expiration Date: 2028-02

Storage: 2 - 8 °C

Country of Manufacture: USA

Notes:

Mediatech, Inc. products are prepared by a validated aseptic sterile filtration (0.1 µm) process to ensure that all products comply with the industry's Sterility Assurance Level (SAL) of at least 10^{-3} (i.e. demonstrating that a product produced in this manner has no more than 1 random contaminant per 1000 units).

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

For Research or Further Manufacturing Use Only Not for use in Diagnostic Procedures. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

Due to the nature of the product, there may be precipitation if exposed to temperatures outside the recommended range. Product with precipitate should be discarded and replacement material requested.

TEST PARAMETERS	SPECIFICATION	RESULT
pH	7.0 ± 0.1	6.9
Osmolality	285 ± 15 mOsm/kg H ₂ O	287 mOsm/kg H ₂ O
Endotoxin	≤ 0.25 EU/mL	< 0.011 EU/mL
Sterility	Pass	Pass

For further information, contact Corning Scientific Support at 800-492-1110 or ScientificSupport@corning.com

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date: W 17 Mar 2025

Reviewed By/Date: Bern [Signature] 18 Mar 2025



Mediatech, Inc.
A Corning Subsidiary
9345 Discovery Boulevard
Manassas, VA 20109
1-800-492-1110
www.corning.com