

## Certificate of Analysis

1 Reagent Lane  
 Fair Lawn, NJ 07410  
 201.796.7100 tel  
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System  
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	D139	Quality Test / Release Date	06/16/2024
Lot Number	242456		
Description	DMSO, DIMETHYL SULFOXIDE, GC HEADSPACE		
Country of Origin	United States	Suggested Retest Date	Jun/2027

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, colorless liquid
ASSAY	%	>= 99.9	>99.99
COLOR	A.P.H.A.	<= 10	<10
GC-HS CLASS 1 SOLVENT	PARTS PER MILLION	< 1.0	<1
GC-HS CLASS 2 SOLVENT	PARTS PER MILLION	< 10	<10
GC-HS CLASS 3 SOLVENT	PARTS PER MILLION	< 50	<50
GC-HS SUITABILITY TEST (PASS/FAIL)	PASS/FAIL	= PASS TEST	PASS TEST
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
OPTICAL ABS AT 270 NM	AU	< 0.40	0.347
OPTICAL ABS AT 290 NM	AU	< 0.18	0.109
OPTICAL ABS AT 310 NM	AU	< 0.06	0.046
OPTICAL ABS AT 330 NM	AU	< 0.02	0.014
OPTICAL ABS AT 350 NM	AU	<= 0.01	0.002
OPTICAL ABS AT 400 NM	AU	<= 0.01	-0.002
RESIDUE	%	< 0.010	<0.001
TITRATABLE ACID	mEq /g	< 0.001	<0.001
WATER (H2O)	%	< 0.05	0.003



Kalyan Paruchuri - Quality Control Supervisor - Bridgewater

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.  
 If there are any questions with this certificate, please call at (800) 227-6701.  
 \*Based on suggested storage condition.