## **Technical** Services

Technical Services provides

information on Berkshire products,

quality programs and services.

Berkshire's demanding QA

program has been developed to

evaluate the suitability of Berkshire

products to perform various

functions. In addition to

guaranteeing consistent product

quality, the data generated by these

tests is vital to Berkshire's quality

assurance and product development

processes.

Berkshire's quality system is

registered to the ISO 9001

standard. If you would like more

information Regarding Berkshire's

QA Program or Test Methods

please contact a sales

representative or the Customer

Service Department.

Berkshire Corporation
21 River Street

Great Barrington, MA 01230

800-242-7000

www.berkshire.com

## **Certificate of Analysis**

Product: Sterile Satpax 550 Item #: SPX550.001.24

Solvent: 70% IPA / 30% DI H<sub>2</sub>O

Lot #: 0000852590

Date of Mfg: 2025/03

Basis Weight (g/m²)	33.8	
Caliper (µm)	199	
Fibers (≥ 100μm /cm²)	0.081	
Particles (≥ 0.5μm):		
(Biaxial shake) ( x 10 <sup>3</sup> /cm <sup>2</sup> )	2.3	
Sorbency:		
Capacity (mL/m²)	206	
Efficiency (mL/g)	6.1	
Rate (seconds)	5	
Non-Volatile Residue:		
$H_2O$ (g/m <sup>2</sup> )	0.00090	
2-Propanol (g/m²)	0.0010	
lons (ppm):		
Na⁺	ND	
K <sup>+</sup>	ND	
Ca <sup>++</sup>	ND	
Mg <sup>++</sup>	ND	
Cl	3.8	





Note: The wiper is tested in an unsaturated state.

**Test Plan:** Basis Weight, Caliper, Fibers, Particles and Sorbency tested each lot. NVR and lons tested biannually.

## **Manufacturing Site:**

Berkshire Corporation 6509 Franz Warner Parkway Whitsett, NC 27377