



# Certificate of Analysis

**Product:**
**Ficoll™ PM400**
**Code Number:**

17030010

**Lot No: 10332864**

Test/Characteristic:	Limit:	Result:
<b>Specific optical rotation [α]<sub>D</sub></b> degrees	+50 to +65	56
<b>Weight average molecular weight</b> Mr	300 000 - 500 000	330674
<b>Loss on drying</b> %	max. 5	3
<b>Absorbance</b>	max. 0.05	0.03
<b>Sodium chloride</b> %	max. 1.0	≤ 1.0
<b>Microbial contamination</b> Colony Forming Units / g	max. 100	0
<b>Endotoxin activity</b> EU/mg	max. 0.12	≤ 0.12

**Manufactured in compliance with our ISO 9001 certified quality management system.**

**No animal derived material is used in raw materials or in the manufacture of this product.**

**Approval Date (Year-Month-Day): 2022-10-06**
**Expiry Date (Year-Month): 2027-09**
**Manufacturing Date (Year-Month): 2022-09**

Cytiva and the Drop logo are trademarks of Global Life Sciences  
IP Holdco LLC or an affiliate

Cytiva Sweden AB  
Björkgatan 30  
SE-751 84 Uppsala, Sweden  
T + 46 (0)18 612 00 00  
Cytiva.com  
Reg.No. SE 55 61 08 1919 01

**Tests and limits according to AS 45600548 Ed. AI**

**Issued (Year-Month-day): 2022-10-18 by Quality Assurance**

**Söderberg, Johan**

This document has been electronically produced and is valid without a signature.

DOC1103901 / 7