

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	38905
Lot Number	A0472579
Description	tert-Butyl methyl ether,for HPLC
CAS Number	1634-04-4
Quality Test/Release Date	13/May/2025
Suggested retest date	13/May/2030
Country of Origin	INDIA
Declaration of Origin	synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless	Clear colorless
Appearance (Form)		Liquid	Liquid
Infrared spectrum		Conforms	Conforms
GC	%	≥ 99.80	99.92
Acidity	meq/g	≤ 0.0002	≤ 0.0002
Alkalinity	meq/g	≤ 0.0002	≤ 0.0002
Residue after evaporation	%	≤ 0.0003	≤ 0.0003
Water	%	≤ 0.05	0.006
UV		1 cm cell vs HPLC-grade water	1 cm cell vs HPLC-grade water
UV		at 240 nm A: ≤ 0.301	at 240 nm A: 0.202
UV		at 255 nm A: ≤ 0.097	at 255 nm A: 0.067
UV		at 280 nm A: ≤ 0.015	at 280 nm A: 0.001



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.