

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

ured with any animal byproducts in any way tion or nutrient broth, catalysts, enzymes). Test Value White		
tion or nutrient broth, catalysts, enzymes).		
5 51 5 5		
27/Apr/2028		
27/Apr/2025		
104-54-1		
Cinnamyl alcohol,98% trans		
A0457302		
14852		

Appearance (Color)		White to light yellow	White
Appearance (Form)		Fused crystalline solid	Fused crystalline solid
Infrared spectrum		Conforms	Conforms
Melting point		31°C to 35°C	33.2°C
GC	%	>=97.5	99.7

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.