

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global
Certificate Number: CERT-0120633

Catalogue Number	A280
Lot Number	250299
Description	PHOSPHORIC ACID, META, A.C.S.
CAS Number	37267-86-0
Quality Test/Release Date	07/May/2025
Suggested retest date	31/Jan/2030
Country of Origin	Germany

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Colorless Crystals
ARSENIC (As)	ppm	<= 1	<1
ASSAY	%	Inclusive Between 33.5 - 36.5	35.9
CHLORIDE	%	<= 0.001	<0.0004
HEAVY METALS (by ICP-OES)	%	<= 0.005	<0.005
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IRON (Fe)	%	<= 0.005	<0.003
NITRATE (NO3)	%	<= 0.001	<0.0003
STABILIZER	%	Inclusive Between 57.0 - 63.0	60.1
SUBSTANCES REDUCING KMNO4	%	<= 0.02	<0.005
SULFATE (SO4)	%	<= 0.005	<0.001



Harout Sahagian
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.