

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number. QMS42099

Catalogue Number	S/5040
Lot Number	2523813
Description	Sodium hypochlorite solution Technical Unspecified reagent for general laboratory work
CAS Number	7681-52-9
Quality Test/Release Date	28/Jan/2025
Expiry Phrase	Expires 6 months from packing date
Country of Origin	United Kingdom

Result Name	Units	Specifications	Test Value
Alkalinity (%)		≤ 2	0.82
Available chlorine	%	≥ 8	14.3
Chemical form		Mobile liquid	Mobile liquid
Visual colour		Yellow	Yellow
Wt/ml at 20C	g	≥ 1.24 and ≤ 1.26	1.2449

Additional Information The available chlorine result is that obtained at time of testing and will deteriorate over time.



Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.