



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number S/7040 Lot Number 2549551

Description di-Sodium tetraborate AR For analysis

CAS Number 1303-96-4
Quality Test/Release Date 20/Aug/2025

Expiry Phrase Use within 5 yrs of opening

Country of Origin Czechia

Result Name	Units	Specifications	Test Value
Assay	%	>= 99.5 and <= 103	103.00
Calcium (Ca)	ppm	<= 20	<5
Chemical form		Crystalline powder	Crystalline powder
Copper (Cu)	ppm	<= 5	<1
Insoluble matter (%)	%	<= 0.005	<0.005
Iron (Fe)	ppm	<= 5	<5
Lead (Pb)	ppm	<= 5	<0.5
Magnesium (Mg)	ppm	<= 10	<2
Phosphate (PO4)	ppm	<= 10	<10
Potassium (K)	ppm	<= 100	<20
Sulfate (SO4) (ppm)	ppm	<= 50	<50
Total chloride (CI)	%	<= 0.0005	<0.0005
Total phosphorus (P)	ppm	<= 10	<2
Total silicon (Si)	ppm	<= 50	<50
Total sulfur (S)	ppm	<= 50	<10
Visual colour		White	White
Zinc (Zn)	ppm	<= 10	<2
pH (5% aq. solution)		>= 9.2 and <= 9.4	9.331

A.Ganatra

Ashok Ganatra Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.