

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global
Certificate Number: QMS42099

Catalogue Number	022914
Lot Number	2225744
Description	Dimethyl sulfoxide, HPLC Grade, 99.9+% HPLC HPLC solvent
Quality Test/Release Date	08/Jun/2022
Expiry Phrase	Use within 5 yrs of opening
Country of Origin	China

Result Name	Units	Specifications	Test Value
Absorbance @ 268 nm	A.U.	<= 1.00	0.434
Absorbance @ 275 nm	A.U.	<= 0.5	0.217
Absorbance @ 300 nm	A.U.	<= 0.20	0.034
Absorbance @ 350 nm	A.U.	<= 0.02	0
Absorbance @ 400 nm	A.U.	<= 0.005	0
Assay (GC)	%	>= 99.9	99.96
Chemical form		Mobile liquid	Mobile liquid
Residue after evaporation (ppm)	ppm	<= 8	None Detected
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.1	0.012

Additional Information Filtered to 0.2 micron



Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.