

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	022919
Lot Number	Z30L729
Description	Cyclohexane, HPLC Grade, 99% min
CAS Number	110-82-7
Quality Test/Release Date	04/Dec/2025
Suggested retest date	04/Dec/2030
Country of Origin	United States
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Color (APHA)		≤10	5
Assay (GC)	%	≥99.0%	>99.99
Form		Liquid	Liquid
Impurity content	ppt	GC-ECD Responsive residue (single peak): ≤10 ppt as Heptachlorepoxyde	2
Impurity content	ppb	Fluorescence at emission maximum for Impurities: <1 ppb as Quinine sulfate	<1
Water Content (Karl Fischer Titration)	%	≤0.02%	0.001
Optical Absorbance at	AU	202 nm: ≤1.0 AU	0.39
Optical Absorbance at	AU	205 nm: ≤0.88 AU	0.34
Optical Absorbance at	AU	210 nm: ≤0.67 AU	0.26
Optical Absorbance at	AU	240 nm: ≤0.05 AU	0.02
Optical Absorbance at	AU	254 nm: ≤0.01 AU	0.01
Residue on Evaporation	ppm	≤1ppm	0.2



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.