

Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

Catalogue Number 041819 Lot Number R15L707

Description Tetrahydrofuran, Spectrophotometric grade, 99.7+%, unstab., packaged under inert

gas in resealable ChemSeal™ bottles

CAS Number 109-99-9
Quality Test/Release Date 12/May/2025
Suggested retest date 12/May/2026
Country of Origin Taiwan
Declaration of Origin Synthetic

Result Name	Units	Specifications	Test Value
Color (APHA)		≤10	5
Assay from Suppliers CofA	%	>99.7%	>99.99
Appearance (Color)		Clear colorless	Clear colorless
Form		Liquid	Liquid
Optical Absorbance at	AU	350 nm: ≤0.01 AU	<0.001
Optical Absorbance at	AU	250 nm: ≤0.18 AU	0.11
Optical Absorbance at	AU	225 nm: ≤0.50 AU	0.24
Optical Absorbance at	AU	212 nm: ≤1.00 AU	0.42
Peroxide content	%	≤0.015% (as H₂O₂ at time of packaging)	<0.0001
Residue on Evaporation	ppm	≤5.0 ppm	<0.5
Water Content	%	≤0.03%	0.001

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.