

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number 43156
 Lot Number 2673566
 Description 1,3-Dioxolane Extra Dry Acroseal Extra dry solvent
 CAS Number 646-06-0
 Quality Test/Release Date 31/Mar/2026
 Expiry Phrase Retest after 2 years if unopened
 Country of Origin Belgium

Result Name	Units	Specifications	Test Value
Assay (GC)	%	>= 99.8	99.94
Butylated hydroxytoluene (BHT)	ppm	>= 0	67
Chemical form		Mobile liquid	Mobile liquid
Identity FTIR (Pass/Fail)		Must be 'Pass'	Pass
Residue after ignition	%	<= 0.0005	None Detected
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.005	0.001

A. Ganatra

Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.