

-

## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

11804			
A0470564			
N-Ethylaniline,98%			
103-69-5			
03/Mar/2025			
03/Mar/2030			
INDIA			
synthetic			
Not directly	Not directly derived from or manufactured with any animal byproducts in any way		
(Including b	(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).		
Units	Specifications	Test Value	
	Clear light yellow to light brown	Clear yellow	
	Liquid	Liquid	
	A0470564 N-Ethylanili 103-69-5 03/Mar/202 03/Mar/203 INDIA synthetic Not directly (Including b	A0470564 N-Ethylaniline,98% 103-69-5 03/Mar/2025 03/Mar/2030 INDIA synthetic Not directly derived from or manufactured with a (Including but not limited to fermentation or nutr Units Specifications Clear light yellow to light brown	

Appearance (Form)		Liquiu	Liquiu
Infrared spectrum		Conforms	Conforms
Refractive index		1.5530 to 1.5560 (20°C, 589 nm)	1.5541 (20°C, 589 nm)
GC	%	>=97.5	99.9

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.