



## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number 14913 Lot Number A0468782

Description Benzoic acid,99%,extra pure

CAS Number 65-85-0
Quality Test/Release Date 03/Jan/2025
Suggested retest date 03/Jan/2030
Country of Origin NETHERLANDS
Declaration of Origin synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to off-white	White
Appearance (Form)		Flakes	Flakes
Infrared spectrum		Conforms	Conforms
Melting point		121°C to 124°C	123.5°C
Titration with NaOH	%	>=98.5	100.0
Water	%	=<0.5 (K.F.)	0.06 (K.F.)
Sulfated ash	%	=<0.01	0.01
Color of molten substance	APHA	=<50	=<50
Clarity of alcohol solution		(20 wt.% soln. in ethanol) clear	(20 wt.% soln. in ethanol) clear

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.