

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548


---

Catalogue Number	41278
Lot Number	A0477012
Description	N-Isopropylacrylamide,99%,pure,stabilized
CAS Number	2210-25-5
Quality Test/Release Date	07/Nov/2025
Suggested retest date	07/Nov/2028
Country of Origin	UNITED STATES OF AMERICA
Declaration of Origin	synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

---

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to light yellow	White
Appearance (Form)		Powder or crystals and/or chunks	Crystals and chunks
Infrared spectrum		Conforms	Conforms
Melting point		63°C to 67°C	64.7°C
GC	%	>=98.5	99.9
Stabilizer	ppm	200 to 500 MEHQ	454 MEHQ

---



Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.