



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate

Number. CERT-0120633

Catalogue Number P181 Lot Number 245082

Description POTASSIUM ACETATE, USP/EP/BP

CAS Number 127-08-2
Quality Test/Release Date 25/Sep/2024
Suggested retest date 31/May/2026
Country of Origin India
Declaration of Origin Synthetic

No animal products are used as starting raw material ingredients, or used in

BSE/TSE processing, including lubricants, processing aids, or any other material that might

migrate to the finished product.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White, fine crystalline powder
British Pharmacopeia Grade - APPEARANCE OF SOLUTION	CLEAR AND COLORLESS	= Clear and Colorless	CLEAR AND COLORLESS
British Pharmacopeia Grade - ASSAY	%	Inclusive Between 99.0 - 101.0	99.9
British Pharmacopeia Grade - CHLORIDES	ppm	<= 200	<30
British Pharmacopeia Grade - IDENTIFICATION (ALL LISTED)	PASS/FAIL	= PASS TEST	PASS TEST
British Pharmacopeia Grade - IRON	ppm	<= 20	<5
British Pharmacopeia Grade - LOSS ON DRYING PER BP	%	<= 3.0	0.3
British Pharmacopeia Grade - PH (5% SOLUTION)		Inclusive Between 7.5 - 9.0	7.915
British Pharmacopeia Grade - REDUCING SUBSTANCES	PASS/FAIL	= PASS TEST	PASS TEST
British Pharmacopeia Grade - SODIUM	%	<= 0.5	0.01
British Pharmacopeia Grade - SOLUBILITY	PASS/FAIL	= PASS TEST	PASS TEST
British Pharmacopeia Grade - SULFATES	ppm	<= 200	<20
EP Grade - APPEARANCE OF SOLUTION	CLEAR AND COLORLESS	= Clear and Colorless	CLEAR AND COLORLESS
EP Grade - ASSAY	%	Inclusive Between 99.0 - 101.0	99.9
EP Grade - BACTERIAL ENDOTOXINS	EU/Mg	= REPORT	<0.005
EP Grade - CHLORIDES	ppm	<= 200	<30
EP Grade - EPSOLUBILITY	PASS/FAIL	= PASS TEST	PASS TEST
EP Grade - IDENTIFICATION (ALL LISTED)	PASS/FAIL	= PASS TEST	PASS TEST
EP Grade - IRON	ppm	<= 20	<5
EP Grade - LOSS ON DRYING PER EP	%	<= 3.0	0.3
EP Grade - PH (5% SOLUTION)		Inclusive Between 7.5 - 9.0	7.915
EP Grade - REDUCING SUBSTANCES	PASS/FAIL	= PASS TEST	PASS TEST
EP Grade - SODIUM	%	<= 0.5	0.01
EP Grade - SULFATES	ppm	<= 200	<20
USP Grade - ASSAY	%	Inclusive Between 99.0 - 100.5	99.9
USP Grade - ENDOTOXINS	EU/Mg	= REPORT	<0.005
USP Grade - IDENTIFICATION (ALL LISTED)	PASS/FAIL	= PASS TEST	PASS TEST
USP Grade - LOSS ON DRYING @ 150 C	%	<= 1.0	0.3
USP Grade - RESIDUAL SOLVENTS	PASS/FAIL	= PASS TEST	PASS TEST
USP Grade - SODIUM (NA)	%	<= 0.03	0.01
USP Grade - pH OF A 5% SOLUTION	%	Inclusive Between 7.5 - 8.5	7.915

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.



Fisher Scientific L.L.C. US 1 Reagent Lane Fair Lawn, NJ 07410. United States of America

Additional Information This product is not derived from substances containing or derived from gluten, soybeans, nuts, corn, eggs, or lactose or other milk products.

Harout Sahagian

Kuk Salym

QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.