

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Annearance (Calar)		M/bits to light valless	\A/bito	_	
Result Name	Units	Specifications	Test Value		
DSE/TSE	(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).				
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way				
Declaration of Origin	synthetic				
Country of Origin	CHINA				
Suggested retest date	19/Jun/2026				
Quality Test/Release Date	19/Jun/2025				
CAS Number	24424-99-5				
Description	Di-tert-butyl dicarbonate,99%				
Lot Number	A0462433				
Catalogue Number	19467				

Appearance (Color)		White to light yellow	White
Appearance (Form)		Low melting solid	Low melting solid
Infrared spectrum		Conforms	Conforms
Titration by coupling	%	98.5 to 101.5	100

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.