

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	046801
Lot Number	Z22L017
Description	Polyethylene glycol diacrylate, M.W. 8,000
CAS Number	26570-48-9
Quality Test/Release Date	23/Dec/2025
Suggested retest date	23/Dec/2035
Country of Origin	United States
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Assay	%	≥95.0%	>95
Comment		Inhibitor: Report type and quantity	MEHQ approximately 3000ppm
Appearance (Color)		Pale yellow to pale cream	Pale cream
Form		Granular solid	Solid
Molecular Weight		8,000 (approx.)	8,000 (approx.)



Derek Roy
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.