

33.6°C

99.4

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	11039		
Lot Number	A0471343 Cinnamoyl chloride,98%,predominantly trans 102-92-1 09/Apr/2025 09/Apr/2028 CHINA synthetic		
Description			
CAS Number			
Quality Test/Release Date			
Suggested retest date			
Country of Origin			
Declaration of Origin			
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way		
	(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).		
Result Name	Units	Specifications	Test Value
Appearance (Color)		White to yellow to orange	Orange
Appearance (Form)		Crystals and/or chunks or fused solid	Fused solid
Infrared spectrum		Conforms	Conforms

Infrared spectrum Melting point Titration RCOCI

-

Geert Torfs

%

33°C to 37°C

97.5 to 102.5

Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.