

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	32669
Lot Number	A0468874
Description	n-Heptane,99+%,for residue analysis,ECD tested for pesticide analysis
CAS Number	142-82-5
Quality Test/Release Date	08/Jan/2025
Suggested retest date	08/Jan/2027
Country of Origin	UNITED KINGDOM
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	≤10	10
GC	%	≥99.0	99.7
Water	%	≤0.01 (Coulometric)	0.004 (Coulometric)
Acidity (CH ₃ COOH)	%	≤0.002	≤0.002
Residue after evaporation	%	≤0.0003	≤0.0003
GC/ECD (as lindane)	ng/l	≤5	≤5



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.