

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	14798
Lot Number	A0386461
Description	p-Toluoyl chloride,98%
CAS Number	874-60-2
Quality Test/Release Date	05/Jan/2025
Suggested retest date	05/Jan/2030
Country of Origin	GERMANY
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless to light brown	Clear colorless
Appearance (Form)		Liquid	Liquid
Infrared spectrum		Authentic	Authentic
Titration RCOCl	%	>=97.5	99.1
Refractive index		1.5525 to 1.5545 (20°C, 589 nm)	1.5542 (20°C, 589 nm)



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.