

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by LRQA. Certificate Number. 10551915

Catalogue Number	L13251
Lot Number	10255023
Description	Fluorescein
CAS Number	2321-07-5
Quality Test/Release Date	06/May/2025
Suggested retest date	06/May/2030
Country of Origin	India
Declaration of Origin	Synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Orange to red to brown	Red
Form		Powder	Powder
Loss on Drying	%	≤3%	1.86
lambda-max (UV-Vis)	NM	490-492 nm (0.1N NaOH)	490
Specific Absorbance (E 1%/1cm)		≥1800 @ Lambda max (0.1N NaOH)	2422



Paul Coleman  
Site Quality Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.