

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	BP2645
Lot Number	254553
Description	AMPHOTERICIN B, SOLUTION
CAS Number	1397-89-3
Quality Test/Release Date	13/Nov/2025
Suggested retest date	31/Mar/2028
Country of Origin	United States

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear yellow solution
CONCENTRATION	UG/ML	= 250	=250
PH AT 25 DEGREES C		Inclusive Between 6.5 - 8.5	7.55
STERILITY	STERILE-FILTERED	IN STERILE FILTERED	STERILE FILTERED



Ash Frey
Supervisor, Quality Control

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.