

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.  
 Certificate Number. 951001163

Catalogue Number	J67004
Lot Number	S13L032
Description	Gold nanoparticles, 100nm, supplied in 0.1mM PBS, reactant-free, 99%, OD1, 572nm absorption
CAS Number	7440-57-5
Quality Test/Release Date	13/Jun/2025
Suggested retest date	13/Dec/2025
Country of Origin	Canada

Result Name	Units	Specifications	Test Value
Buffer		0.1 mM Phosphate-Buffered saline (0.01XPBS)	0.1 mM Phosphate-Buffered saline (0.01XPBS)
Comment	nm	Core size: 100nm (-2nm to +15nm)	100 (-2nm to +15nm)
Comment	nm	Mean hydrodynamic diameter (nm): 112	112
Comment		Particles/ml: ~3.84E+09	~3.84E+09
Comment		Polydispersity index (PDI): 0.05	0.05
Concentration		Optical density (OD): 1	1
Form		Liquid	Liquid
lambda-max (UV-Vis)	nm	≤568nm	568



John Astarita  
 Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.