

Thermo Fisher (Kandel) GmbH Erlenbachweg 2 Kandel, 76870, Germany

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by ICG. Certificate Number. 110212Q

Catalogue Number	044470			
Lot Number	62500262			
Description	Aluminum chloride, anhydrous, 99.999% (metals basis)			
CAS Number	7446-70-0			
Quality Test/Release Date	15/May/2025			
Suggested retest date	15/May/2027			
Country of Origin	TÜRKIYE			
Declaration of Origin	Synthetic			
Result Name	Units	Specifications	Test Value	
Residual water	ppm	< 2000 ppm	< 1000	
Total Metal Impurities	%	≤0.001% (10 ppm)	< 0.001	

fauld But

Ronald Becht Technical Support Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.