

Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

Catalogue Number	J61875
Lot Number	Q02L041

Description Papain, Carica Papaya Latex

CAS Number 9001-73-4
Quality Test/Release Date 02/Apr/2025
Suggested retest date 02/Apr/2030
Country of Origin United States

Result Name	Units	Specifications	Test Value
Form		Lyophilized	Lyophilized
		One unit hydrolyzes one micromole	е
		of benzoyl-L-arginine ethyl ester	
		per minute at 25° C, pH 6.2, after	
Unit definition		activation in a solution containing	Conforms
		1.1 mM EDTA, 0.067 mM beta	
		merceptoethanol and 5.5 mM	
		cystein	
units/mgP	u/mgP	Activates to at least 15.0 units per mg protein	21.7

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.