

Fisher Scientific UK Ltd. Bishop Meadow Road Loughborough, LE11 5RG, United Kingdom

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

	X/0250		
Catalogue Number			
Lot Number	2539288		
Description	Xylene AR For analysis		
CAS Number	1330-20-7		
Quality Test/Release Date	27/May/2025		
Expiry Phrase	Use within 5 yrs of opening		
Country of Origin	United Kingdom		
Declaration of Origin	Synthetic		
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way		
	(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).		

Result Name	Units	Specifications	Test Value
Acidity/alkalinity (meq/g)	meq/g	<= 0.0001	0.00001
Assay (GC)	%	>= 98	99.59
Benzene	%	<= 0.05	0.00045
Calcium (Ca)	ppm	<= 0.5	<0.05
Chemical form		Mobile liquid	Mobile liquid
Colour	APHA	<= 10	<5
Copper (Cu)	ppm	<= 0.05	<0.01
Iron (Fe)	ppm	<= 0.1	<0.02
Lead (Pb)	ppm	<= 0.05	<0.005
Magnesium (Mg)	ppm	<= 0.2	<0.01
Potassium (K)	ppm	<= 0.5	<0.02
Residue after evaporation (ppm)	ppm	<= 20	None Detected
Sodium (Na)	ppm	<= 0.5	<0.05
Substances reducing KMnO4	%	<= 0.0005	<0.0005
Toluene	%	<= 1	0.149
Total phosphorus (P)	ppm	<= 0.1	<0.02
Total silicon (Si)	ppm	<= 0.05	<0.02
Total sulfur (S)	ppm	<= 2	<0.2
Visual colour		Clear colourless	Clear colourless
Water	%	<= 0.05	0.01
Zinc (Zn)	ppm	<= 0.1	<0.01
n-Propyl benzene	%	<= 1	0.0023

A.Ganatra

Ashok Ganatra Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.