

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	045844
Lot Number	W17L025
Description	Ethanol, denatured, 91.6%, 3.7% methanol, 1.9% MIBK, 1% heptane, 1% ethyl acetate, 1% toluene (v/v)
CAS Number	64-17-5
Quality Test/Release Date	17/Sep/2025
Suggested retest date	17/Sep/2030
Country of Origin	United States

Result Name	Units	Specifications	Test Value
Assay		Toluene: 0.91-1.01%	Pass
Assay		MeOH: 3.48-3.84%	Pass
Assay		MIBK: 1.79-1.97%	Pass
Assay		Heptane: 0.91-1.01%	Pass
Assay		Ethyl Acetate: 0.91-1.01%	Pass
Assay		EtOH: 91.12-92.04%	Pass
Appearance (Color)		Clear	Clear
Free acid (titration)	%	≤0.005% (as Acetic Acid)	<0.005
Form		Liquid	Liquid
Specific Gravity		0.8140-0.8160 @ 15°C	0.8149



Luis Perez
 Interim Director Quality, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.