

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Infrared spectrum		Conforms	Conforms			
Color scale	APHA	=<10	10			
Appearance (Form)		Clear liquid	Clear liquid			
Result Name	Units	Specifications	Test Value			
BSE/TSE	synthetic Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).					
Declaration of Origin						
Country of Origin	GERMANY					
Suggested retest date	08/May/2028					
Quality Test/Release Date	08/May/2025					
CAS Number	71-23-8					
Description	1-Propanol,99+%,extra pure					
Lot Number	A0472515					
Catalogue Number	14948					

GC	%	>=99.0	99.9
Water	%	=<0.5	0.03
Refractive index		1.3840 to 1.3860 (20°C, 589 nm)	1.3850 (20°C, 589 nm)
Residue after evaporation	%	=<0.005	=<0.0003

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.