

Thermo Fisher Scientific Ward Hill, MA-Sites 30 Bond Street 220 Neck Road 38 Shelley Road Ward Hill Ward Hill Ward Hill MA 01835 MA 01835 MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc. Certificate Number. 951001163

Catalogue Number	J67802		
Lot Number	Y20K500		
Description	Phosphate-buffered saline (DPBS, 1X), Dulbecco's formula, without calcium, without magnesium 18/Nov/2024		
Quality Test/Release Date			
Suggested retest date	18/Nov/2026		
Country of Origin	United States		
Result Name	Units	Specifications	Test Value
		137.9 mM Sodium Chloride, 1.5	
Composition		mM Potassium Phosphate	
		Monobasic, 2.7 mM Potassium	Conforms
		Chloride, 8.9 mM Sodium	
		Phosphate Dibasic	
Comment		Filtered through a 0.22micron filte	er. Filtered through a 0.22micron filter.
Appearance (Color)		Clear colorless	Clear colorless
Form		Liquid	Liquid
На		7.3 ± 0.2	7.30 +/- 0.20

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.