

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by LRQA. Certificate Number. 10551915

Catalogue Number	H27161
Lot Number	10261214
Description	1-Methyl-3-n-octylimidazolium tetrafluoroborate, 99%
CAS Number	244193-52-0
Quality Test/Release Date	21/Apr/2026
Suggested retest date	21/Apr/2031
Country of Origin	Germany
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless to yellow	Clear pale yellow
Form		Viscous liquid	Viscous liquid
Identification (FTIR)		Conforms	Conforms
Residual halide	ppm	≤100 ppm (by Ion Chromatography)	<100
Ion Chromatography	%	Tetrafluoroborate : ≥98.5%	99.9
Ion Chromatography	%	1-Methyl-3-octylimidazolium : ≥98.5%	99.9
Water Content (Karl Fischer Titration)	ppm	≤250 ppm	43.3
Proton NMR		Conforms to structure	Conforms to structure
Refractive Index		1.4325-1.4355 @ 20°C	1.4334



Paul Coleman
Site Quality Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.