

Thermo Fisher (Kandel) GmbH Erlenbachweg 2 Kandel, 76870, Germany

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by ICG. Certificate Number. 110212Q

Catalogue Number	012274		
Lot Number	62300582		
Description	Mercury(II) chloride, ACS, 99.5% min		
CAS Number	7487-94-7		
Quality Test/Release Date	01/Oct/2023		
Suggested retest date	01/Oct/2026		
Country of Origin	INDIA		
Declaration of Origin	Synthetic		
Result Name	Units	Specifications	Test Value
Assay (unspecified)	%	99.5% Cl₂Hg min	99.82
Comment	%	Residue after reduction 0.02%	=<0.02
Comment		Solution in ethyl ether P.T.	Pass
Impurity content	%	Fe 0.002%	=<0.002

fauld But

Ronald Becht Technical Support Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.