

**CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number 37625  
 Lot Number A0429767  
 Description N-BOC-trans-4-Hydroxy-L-proline methyl ester,97%  
 CAS Number 74844-91-0  
 Quality Test/Release Date 07/May/2026  
 Suggested retest date 07/May/2031  
 Country of Origin UNITED STATES OF AMERICA

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to light beige	Almost white
Appearance (Form)		Crystalline powder	Crystalline powder
Infrared spectrum		Conforms	Conforms
GC	%	>=96.0	99.9
Specific optical rotation		-63° to -67° (20°C, 589 nm) (c=1, CHCl3)	-65.7° (20°C, 589 nm) (c=1, CHCl3)

Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.