

 Thermo Fisher Scientific

 Ward Hill, MA-Site
 Site Scientific

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc. Certificate Number. 951001163

Catalogue Number	A13586		
Lot Number	Q02L007		
Description	myo-Inositol	, 98+%	
CAS Number	87-89-8		
Quality Test/Release Date	02/Apr/2025		
Suggested retest date	02/Apr/2030		
Country of Origin	China		
Result Name	Units	Specifications	Test Value
Result Name	Units	Specifications ≥98.0% =/-UK sourced, assay is	Test Value
Result Name Assay (unspecified)	Units %	•	Test Value 99.55
		≥98.0% =/-UK sourced, assay is	
		≥98.0% =/-UK sourced, assay is silylated GC, US sourced, assay	
Assay (unspecified) Appearance (Color)		≥98.0% =/-UK sourced, assay is silylated GC, US sourced, assay from vendor's CofA]	99.55 White
Assay (unspecified)		≥98.0% =/-UK sourced, assay is silylated GC, US sourced, assay from vendor's CofA] White	99.55

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.