

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	40692
Lot Number	A0468028
Description	Dichloromethane,99.6%,ACS reagent,stabilized with amylene
CAS Number	75-09-2
Quality Test/Release Date	05/Dec/2024
Suggested retest date	05/Dec/2027
Country of Origin	CZECH REP.
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	≤10	10
GC	%	≥99.5	99.9
Water	%	≤0.02 (Coulometric)	0.002 (Coulometric)
Residue after evaporation	%	≤0.002	≤0.002
Free halogens		passes test	passes test
Titration acid	meq/g	≤0.0003	≤0.0003
Stabilizer	ppm	20 to 60 amylene	50.5 amylene



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.