



## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number 21903 Lot Number A0476385

Description Drierite®, without indicator, 4 mesh

CAS Number 7778-18-9
Quality Test/Release Date 01/Oct/2025
Suggested retest date 01/Oct/2027

Country of Origin UNITED STATES OF AMERICA

Declaration of Origin Mineral

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to greyish-white	greyish-white
Appearance (Form)		Irregular granules	Irregular granules
Water	%	=<0.3	=<0.3
Composition	%	>=99.5 (CaSO4) Typical	>=99.5 (CaSO4) Typical
Particle size	mesh	4	4

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.