

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number	J67269
Lot Number	P02M066
Description	Gold nanoparticles, 20nm, supplied in 0.1 mg/ml sodium citrate with stabilizer, OD1, 524nm absorption
CAS Number	7440-57-5
Quality Test/Release Date	03/Mar/2026
Suggested retest date	03/Sep/2026
Country of Origin	Canada

Result Name	Units	Specifications	Test Value
Buffer		0.1 mg/mL citrate buffer with stabilizer	0.1 mg/mL citrate buffer with stabilizer
Concentration		1.00-1.05 (OD)	1
Form		Liquid	Liquid
lambda-max (UV-Vis)	nm	518-528 nm	521
Polydispersity Index		≤0.2	0.058
Particle Size	nm	Core Size: 18.0-22.0 nm	20 (+/-2)
Particle Size	nm	Mean Hydrodynamic Diameter: 28.0-32.0 nm	30.46



Derek Roy
Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.