

Fisher Scientific UK Ltd. Bishop Meadow Road Loughborough, LE11 5RG, United Kingdom

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global Certificate Number. QMS42099

Catalogue Number 38	379	
Lot Number 25	28912	
Description n-ł	Heptane Extra Pure	
CAS Number 14	142-82-5 03/Mar/2025	
Quality Test/Release Date 03		
Expiry Phrase Us	Use within 5 years of opening	
Country of Origin Au	istria	
Result Name Un	nits Specifications	Test Value
Assay (GC) %	>= 99	99.64
Chemical form	Mobile liquid	Mobile liquid
Identity FTIR (Pass/Fail)	Must be 'Pass'	Pass
Residue after evaporation (ppm) pp	m <= 20	7.3

A.Ganatra

Ashok Ganatra Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.