

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	19346
Lot Number	A0468861
Description	Manganese(II) nitrate tetrahydrate,for analysis
CAS Number	20694-39-7
Quality Test/Release Date	07/Jan/2025
Suggested retest date	07/Jan/2030
Country of Origin	SPAIN
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Pink	Pink
Appearance (Form)		Crystals	Crystals
Titration Complexometric	%	>=97.5	99.6
Insoluble matter	%	=<0.005 (in water)	=<0.005 (in water)
Chloride (Cl)	%	=<0.005	=<0.005
Sulfate (SO4)	%	=<0.005	=<0.005
Ammonium (NH4)	%	=<0.05	=<0.05
Calcium (Ca)	%	=<0.005	=<0.005
Cadmium (Cd)	%	=<0.0005	=<0.0005
Copper (Cu)	%	=<0.0005	=<0.0005
Iron (Fe)	%	=<0.001	=<0.001
Potassium (K)	%	=<0.01	=<0.01
Magnesium (Mg)	%	=<0.005	=<0.005
Sodium (Na)	%	=<0.05	=<0.05
Nickel (Ni)	%	=<0.002	=<0.002
Lead (Pb)	%	=<0.001	=<0.001
Zinc (Zn)	%	=<0.005	=<0.005

Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.