

Thermo Fisher Scientific

Ward Hill, MA-Site
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200
200

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc. Certificate Number. 951001163

Ostala and Neverland	040000			
Catalogue Number	012336			
Lot Number	S11L017			
Description	Chromium(III) chloride, anhydrous, 98%			
CAS Number	10025-73-7			
Quality Test/Release Date	11/Jun/2025			
Suggested retest date	11/Jun/2030			
Country of Origin	United States			
Declaration of Origin	Synthetic			
Result Name	Units	Specifications	Test Value	
Assay (unspecified)	%	97.6% min	=>98.98	

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.