

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
 Certificate Number. 951001163

Catalogue Number	036416
Lot Number	N11L026
Description	Hydroxylamine hydrochloride, ACS, 96+%
CAS Number	5470-11-1
Quality Test/Release Date	11/Feb/2025
Suggested retest date	11/Feb/2028
Country of Origin	India

Result Name	Units	Specifications	Test Value
Assay from Suppliers CofA	%	≥96.0% H ₃ NO.HCl (Titration of the reductive capacity)	99.65
Clarity		Alcohol solution: Passes test	Passes test
Appearance (Color)		White	White
Free acid (titration)	meq/g	0.25 meq/g	<0.25
Form		Crystals	Crystal, powder, or chunks
Heavy Metals	ppm	(as Pb) 5 ppm	<5
Residue on ignition	%	0.05%	<0.05
Impurity content	%	Sulfur compounds (as SO ₄) 0.005%	<0.005
Impurity content		NH ₄ Passes test	Passes test
Impurity content	ppm	Fe 5 ppm	<5



John Astarita
 Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.