

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.  
 Certificate Number. 951001163

Catalogue Number	036336
Lot Number	P28M007
Description	Nickel(II) sulfate hexahydrate, ACS, 98.0% min
CAS Number	10101-97-0
Quality Test/Release Date	30/Mar/2026
Suggested retest date	30/Sep/2029
Country of Origin	India

Result Name	Units	Specifications	Test Value
Assay (unspecified)	%	98.0% NiO <sub>4</sub> S.6H <sub>2</sub> O min	98.39
Impurity content	%	Ca 0.005%	0.00028
Impurity content	%	Cl 0.001%	0.0006
Impurity content	%	Co 0.002%	0.000
Impurity content	%	Cu 0.005%	0.00005
Impurity content	%	Fe 0.001%	0.000
Impurity content	%	K 0.01%	0.0045
Impurity content	%	Mg 0.005%	0.0003
Impurity content	%	Mn 0.002%	0.00016
Impurity content	%	Na 0.05%	0.000
Impurity content	%	Nitrogen compounds (as N) 0.002%	0.002
Insoluble material	%	0.005%	0.003



Derek Roy  
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.