



CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate

Number. 2317548

Catalogue Number	10522	
Lot Number	A0472971	

Description Benzaldehyde,98+%,pure

CAS Number 100-52-7
Quality Test/Release Date 22/May/2025
Suggested retest date 22/May/2027
Country of Origin ITALY
Declaration of Origin synthetic

BSE/TSE Not directly derived from or manufactured with any animal byproducts in any way

(Including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless to light yellow	Clear light yellow
Appearance (Form)		Liquid	Liquid
Infrared spectrum		Conforms	Conforms
GC	%	>=98.0	99.7
Refractive index		1.5440 to 1.5460 (20°C, 589 nm)	1.5448 (20°C, 589 nm)
Specific gravity		(25°C) 1.041 to 1.046	(25°C) 1.042
Acid value	mg KOH/g	=<5	0.91

Geert Torfs Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.