

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global  
Certificate Number: CERT-0120633

Catalogue Number	A277
Lot Number	255082A
Description	SALICYLIC ACID, A.C.S.
CAS Number	69-72-7
Quality Test/Release Date	10/Apr/2026
Suggested retest date	30/Sep/2028
Country of Origin	China

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White Solid
ASSAY	%	>= 99.0	101.4
CHLORIDE	%	<= 0.001	<0.001
HEAVY METALS (as Pb)	ppm	<= 5	<5
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
IGNITION RESIDUE	%	<= 0.010	<0.01
IRON (Fe)	ppm	<= 2	<2
MELTING POINT	DEGREES CELSIUS	Inclusive Between 158.0 - 161.0	159.8
SUBSTANCES DARKENED BY H2SO4	PASS/FAIL	= PASS TEST	PASS TEST
SULFATE (SO4)	%	<= 0.003	<0.003



Harout Sahagian  
QC Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.