

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	16485
Lot Number	A0368687
Description	Acrylamide,99+%,for biochemistry,electrophoresis grade
CAS Number	79-06-1
Quality Test/Release Date	12/Feb/2016
Suggested retest date	12/Feb/2018
Country of Origin	INDIA
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		White	White
Appearance (Form)		Crystalline powder or crystals	Crystalline powder
Infrared spectrum		Authentic	Authentic
GC	%	>=99.0	99.9
pH		5.5 to 6.5 (10 % in 0.1M NaCl at 25°C)	6.3 (10 % in 0.1M NaCl at 25°C)
Acrylic acid	%	=<0.002	=<0.002 (none detected)
Insoluble matter	%	=<0.005 (in water)	=<0.005 (in water)
Conductivity	µmho	=<5 (40% aq. soln.)	4.5 (40% aq. soln.)
Water	%	=<0.2 (K.F.)	0.1 (K.F.)
Iron (Fe)	ppm	=<1	=<1
Lead (Pb)	ppm	=<1	=<1
Magnesium (Mg)	ppm	=<1	=<1



Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.