

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by LRQA. Certificate Number.  
10551915

Catalogue Number	A10173
Lot Number	10248615
Description	Trifluoromethanesulfonic acid, 98+%
CAS Number	1493-13-6
Quality Test/Release Date	22/Jan/2025
Suggested retest date	22/Jan/2026
Country of Origin	France
Declaration of Origin	Synthetic

Result Name	Units	Specifications	Test Value
Assay (Aqueous acid-base Titration)	%	>=98.0%	101.2
Appearance (Color)		Clear colorless to yellow	Clear pale yellow
Form		Fuming liquid	Fuming liquid



Paul Coleman  
Site Quality Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.